



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/627,924	07/28/2000	Joseph A Hook	FORE-73	3576

7590

04/13/2004

Ansel M Schwartz  
One Sterling Plaza  
201 N Craig Street  
Suite 304  
Pittsburgh, PA 15213

EXAMINER

KADING, JOSHUA A

ART UNIT	PAPER NUMBER
----------	--------------

2661

DATE MAILED: 04/13/2004

5

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/627,924

Applicant(s)

HOOK, JOSEPH A

Examiner

Joshua Kading

Art Unit

2661

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 06 February 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-6 and 8-17 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-6 and 10-15 is/are rejected.
- 7) ☒ Claim(s) 8, 9, 16, and 17 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 06 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

***Claim Rejections - 35 USC § 103***

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

5

Claims 1-6, and 10-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chan et al. (U.S. Patent 5,870,625) in view of Yamanaka et al. (U.S. Patent 5,619,495).

10

In regard to claim 1, Chan discloses "a memory mechanism in which portions of packets...are stored" (col. 2, lines 29-30 show the transmission of packets in the network; figure 8, elements 220, 230 where 220 and 230 are buffers, or a memory mechanism, that store the incoming data as can be read in col. 12, lines 18-22, 29-32); and

15

"a mechanism for instituting changes to the memory mechanism while the memory mechanism is continuously operating on the portions of packets..." (figure 8, element 200 where the command buffer is the mechanism for instituting changes to the memory mechanism, and the memory mechanism can still operate on packets by storing the incoming data into the buffers while the command buffer is instituting

20

changes).

Chan lacks what Yamanka discloses, that is "a switch for a network (col. 9, lines 8-9)...", "a plurality of fabrics, each fabric of the plurality of fabrics having" the memory

Art Unit: 2661

mechanism and change instituting mechanism (col. 10, lines 23-24 where the memory mechanism and instituting mechanism of Chan are functionally equivalent to the elements 11<sub>1</sub> and 12<sub>1</sub>), and the packets are "stripes" (figure 30 where the header processing unit separates the header from the data effectively turning them into  
5 fragments, or stripes).

It would have been obvious to one with ordinary skill in the art at the time of invention to include the "switch" with the "memory mechanism" and the "instituting mechanism" for the purpose of having the controller and the memory in the same unit. The motivation for this being an increase in efficiency as the data has less distance to  
10 travel.

In regard to claim 2, Chan et al. and Yamanka et al. disclose the switch of claim 1. However, Chan et al. lacks "the memory mechanism that includes a plurality of memory controllers." Yamanka et al. however, further disclose "the memory mechanism  
15 that includes a plurality of memory controllers" (figure 30, elements 11<sub>1</sub> – 11<sub>p</sub>, and 12<sub>1</sub> – 12<sub>p</sub>; col. 2, line 8 where each memory mechanism includes or has a memory controller). It would have been obvious to one with ordinary skill in the art at the time of invention to include the memory controllers with the switch of claim 1 for the same reasons and motivation as in claim 1.

20 In regard to claim 3, Chan et al. and Yamanka et al. disclose the switch of claim 2. However, Yamanka et al. lack "the instituting mechanism includes a command buffer

Art Unit: 2661

disposed in each memory controller in which changes to the memory controller are stored until the changes are implemented.” Chan et al. however, further disclose “the instituting mechanism includes a command buffer disposed in each memory controller in which changes to the memory controller are stored until the changes are

5 implemented” (figure 8, element 8 where the changes are stored in the wait buffer 210 until needed). It would have been obvious to one with ordinary skill in the art at the time of invention to include the command buffer with the switch of claim 2 for the same reasons and motivation as in claim 2.

10 In regard to claim 4, Chan et al. and Yamanka et al. disclose the switch of claim 3. However, Yamanka et al. lack “a fabric in which the memory mechanism and the instituting mechanism are disposed, and wherein the instituting mechanism includes an MCP (Module Control Processor) disposed in the fabric connected to the command buffer of each memory controller in the fabric, the MCP sends the changes to the

15 buffer.” Chan et al. however, further disclose “a fabric in which the memory mechanism and the instituting mechanism are disposed, and wherein the instituting mechanism includes an MCP disposed in the fabric connected to the command buffer of each memory controller in the fabric, the MCP sends the changes to the buffer” (figure 8, element 190 is the fabric in which the instituting mechanism and memory mechanism

20 are disposed; figure 8, element 201 where 201 acts as the MCP by sending the changes to be instituted (commands) to the wait buffer 210 and is clearly connected to the command buffer). It would have been obvious to one with ordinary skill in the art at

Art Unit: 2661

the time of invention to include the MCP, the instituting mechanism, the memory mechanism all on the same fabric with the method of claim 3 for the same reasons and motivation as claim 3.

5           In regard to claim 5, Chan et al. and Yamanka et al. disclose the switch of claim 4. However, Yamanka et al. lack "each memory controller institutes changes in its command buffer at a same logical clock cycle when the memory controller receives an implementation signal." Chan et al. however, further disclose "each memory controller institutes changes in its command buffer at a same logical clock cycle when the memory  
10 controller receives an implementation signal" (figure 8, where it is shown in the figure that a command can come in on bus 160 at which point it can be stored in the wait buffer 210, at the same time the execution buffer 203 can be instructing the memory mechanism to perform a specific function, thus this can all be done during the same logical clock cycle). It would have been obvious to one with ordinary skill in the art at the  
15 time of invention to include the "same logical clock cycle" operations with the method of claim 4 to allow each memory controller to perform two tasks at once. The motivation being to increase efficiency in command execution.

          In regard to claim 6, Chan et al. and Yamanka et al. disclose the switch of claim  
20 5. However, Chan et al. lack "the fabric has an aggregator which receives the implementation signal and sends it to the memory controllers." Yamanka et al. however, further disclose "the fabric has an aggregator which receives the implementation signal

Art Unit: 2661

and sends it to the memory controllers" (figure 29, element 130 where the multiplexer is the functional equivalent of an aggregator as per the specification, page 8, lines 12-15 and takes the input signals  $1_1 - 1_n$  (as are in figure 30) aggregates them then sends them to the controller which can be taken to the buffer controller 15 of figure 30 which  
5 then sends these signals to the memory controllers  $12_1 - 12_p$ ). It would have been obvious to one with ordinary skill in the art at the time of invention to include the aggregator with the method of claim 5 for the purpose of having the aggregator and the memory in the same unit. The motivation for this being an increase in efficiency as the data has less distance to travel.

10

In regard to claim 10, Chan et al. disclose "a method...comprising:

receiving changes for the memory mechanism...at a buffer" (figure 8, elements 160, 200, 210 where the changes come in on bus 160 and are stored in buffer 210).

"implementing the changes to the memory mechanism when the memory

15

mechanism receives an implementation signal while the memory mechanism continuously operates on the portions of the packets..." (figure 8, element 200 where the command buffer is the mechanism for instituting changes to the memory mechanism, and the memory mechanism can still operate on packets by storing the incoming data into the buffers while the command buffer is instituting changes).

20

However, Chan lacks what Yamanaka discloses, that is "...switching packets...", "...a switch (col. 9, lines 8-9)...", "storing portions of packets as stripes in a memory mechanism of each fabric of a plurality of fabrics of a switch (col. 10, lines 23-24 where

the memory mechanism and instituting mechanism of Chan are functionally equivalent to the elements 11<sub>1</sub> and 12<sub>1</sub>)", and the packets are "stripes" (figure 30 where the header processing unit separates the header from the data effectively turning them into fragments, or stripes).

5           It would have been obvious to one with ordinary skill in the art at the time of invention to include the "switch" with the "memory mechanism" and the "instituting mechanism" for the purpose of having the controller and the memory in the same unit. The motivation for this being an increase in efficiency as the data has less distance to travel.

10

          In regard to claim 11, Chan et al. and Yamanaka et al. disclose the method according to claim 10. However, Yamanaka et al. lack "...the buffer includes a command buffer and the receiving step includes the step of receiving changes for each memory controller of each fabric at the command buffer." Chan et al. however, further  
15   disclose "the buffer includes a command buffer and the receiving step includes the step of receiving changes for each memory controller of each fabric at the command buffer" (figure 8, element 8 where the changes are received and stored in the wait buffer 210 until needed). However, Chan lacks what Yamanaka further discloses, that is "the memory mechanism includes a plurality of memory controllers with a memory controller  
20   of the plurality of memory controllers disposed in each fabric (figure 30, elements 11<sub>1</sub> – 11<sub>p</sub>, and 12<sub>1</sub> – 12<sub>p</sub>; col. 2, line 8 where each memory mechanism includes or has a memory controller)..." It would have been obvious to one with ordinary skill in the art at



the time of invention to include the command buffer and memory controllers with the switch of claim 10 for the same reasons and motivation as in claim 10.

In regard to claim 12, Chan et al. and Yamanaka et al. disclose the method according to claim 11. However, Yamanaka et al. lack "before the receiving step, there is a step of sending the changes to each command buffer from a Module Control Processor of each fabric." Chan et al. however, further disclose "before the receiving step, there is a step of sending the changes to each command buffer from a Module Control Processor of each fabric" (figure 8, element 201 where 201 acts as the MCP by sending the changes to be instituted (commands) to the wait buffer 210 and it is clearly connected to the command buffer; it should also be noted that the sending step must occur before the receiving step). It would have been obvious to one with ordinary skill in the art at the time of invention to include the sending step with the method of claim 11 for the same reasons and motivation as in claim 11.

In regard to claim 13, Chan et al. and Yamanaka et al. disclose the method according to claim 12. However, Yamanaka et al. lack "the implementing step includes the step of implementing the changes to all the memory controllers of all the fabrics at a same logical clock cycle." Chan et al. however, further disclose "the implementing step includes the step of implementing the changes to all the memory controllers of all the fabrics at a same logical clock cycle" (figure 8, where it is shown in the figure that a command can come in on bus 160 at which point it can be stored in the wait buffer 210,

Art Unit: 2661

at the same time the execution buffer 203 can be instructing the memory mechanism to perform a specific function, thus this can all be done during the same logical clock cycle). It would have been obvious to one with ordinary skill in the art at the time of invention to include the "same logical clock cycle" operations with the method of claim

5 12 to allow each memory controller to perform two task at once. The motivation being to increase efficiency in command execution.

In regard to claim 14, Chan et al. and Yamanaka et al. disclose the method according to claim 13. However, Chan et al. and Yamanaka et al. lack explicitly "before  
10 the implementing step, there is [a] step of receiving the implementation signal at the switch in a receive message packet." However, it would have been obvious to "receive" the implementation signal in a receive message packet because in order to implement a command/step there must be some kind of message indicating what command/step that needs to be implemented. The only way to get this message is to receive it. It would  
15 have been obvious to one with ordinary skill in the art at the time of invention to include the receiving step with the method of claim 13 because there is no other way to obtain the implementation signal information. The motivation being to allow the system to accept implementation signals from a variety of sources.

20 In regard to claim 15, Chan et al. and Yamanaka et al. disclose the method according to claim 14. However, Chan et al. lack "the implementation [signal] receiving step includes the step of receiving the receive message packet at a port card of the

switch.” Yamanaka et al. however, further disclose “the implementation [signal] receiving step includes the step of receiving the receive message packet at a port card of the switch” (figure 30, elements 10<sub>1</sub> - 10<sub>an</sub> where these elements act as port cards for the switching apparatus). It would have been obvious to one with ordinary skill in the art at the time of invention to include the port card with the method of claim 14 for the purpose of allowing signals access to the switch. The motivation being to have a switch that can accept signals.

#### ***Allowable Subject Matter***

Claims 8, 9, 16, and 17 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kos et al. (U.S. Patent 5,696,761), Chiussi et al. (U.S. Patent 5,689,505), Gavara et al. (U.S. Patent 5,048,081), and Ash et al. (U.S. Patent 6,151,315) all show a plurality of fabrics in a switching system. Kurano et al. (U.S. Patent 5,249,178) shows a header separator and multiplexer used in a switching system.

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

## Response to Arguments

Applicant argues that because the limitation of “a plurality of fabrics” of cancelled claim 7 was added to independent claim 1, it is allowable. Examiner respectfully disagrees. Applicant has amended the independent claim to include the limitation of cancelled claim 7 but has changed the scope of the claim. That is to say the “plurality of

Art Unit: 2661

fabrics" now have the memory mechanism and the mechanism for instituting change instead of the "switch of the network".

The objections to the drawings have been withdrawn due to applicant's newly submitted drawings filed on 4 February 2004.

The objections to claims 1, 4, 5, 12, 14, 15, 16, and 17 are withdrawn due to applicant's amendment.

The 35 U.S.C 112 second paragraph rejections for claims 11, 12, 13, 16, and 17 have been withdrawn due to applicant's amendment.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joshua Kading whose telephone number is (703) 305-0342. The examiner can normally be reached on M-F: 8:30AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas Olms can be reached on (703) 305-4703. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2661

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

- 5 For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Joshua Kading  
Examiner  
Art Unit 2661

10 April 7, 2004



**KENNETH VANDERPUYE**  
**PRIMARY EXAMINER**